











1 800 463 0546

Early Birds Your GM Muscle Car Headquarters

Visit www.early-birds.ca for most up-to-date
catalog this copy was generated March 29 2024

Cutlass / Heating and Cooling / Radiators & Parts

Picture	Product name	Description	SKU	CAD
	1964-1972 Radiator Cap RC-15 (Dimple Rivet)	Correct embossed RC15 cap. Two different styles were produced. RPE62B pictured on far right. RPE62C pictured left	CUPYRPE62B	54.05
	1964-1972 Radiator Cap RC-15 (Flat Rivet)	Correct embossed RC15 cap. Two different styles were produced. RPE62B pictured on far right. RPE62C pictured left	CUPYRPE62C	54.05
	1964-1972 RADIATOR CAP RC-15, EXACT REPRODUCTION*	RC-15 AC radiator cap correct for all 57 up to 1972 (except Corvair and coolant recovery). Superior quality, manufactured from original OE specification materials. Others use cheap, inferior materials ensuring premature failure from corroded metals. Our reproduction actually holds rated pressure, others release as low as 5psi! Faithful reproduction, including correct text and exact ear shape. Officially Licensed GM Restoration Parts.	CUHQW853	62.32
Early Birds Order Hotline: 1 800 463 0546				
	1964-1972 Radiator Overflow Hose	Radiator overflow hose for 1961-77 Oldsmobiles. Sold in a 36 inch length.	CUFSROH617	17.60
 <small>Sample image only, actual part may differ</small>	1964-1972 Radiator Seals	Keep your radiator and surrounding components sealed to factory specifications. These die-cut rubber seals are manufactured for an original fit and finish. Seals are designed to promote airflow into the radiator and improve cooling abilities Call for multiple colours, styles or patterns or choose online	CUREMCUT-RAD-038	31.98
 <small>Sample image only, actual part may differ</small>	1964-1972 Universal Stainless Steel Radiator Overflow Tank	These beautiful polished stainless steel radiator overflow tanks will give your engine compartment a clean, custom look. They are available in various sizes and feature a twist-on cap and mounting hardware. Call for multiple colours, styles or patterns or choose online	CUIC60721	60.46
	1966-1970 Radiator Insulators (Set of 2 short & 2 long) - 4Pc	Radiator insulator set with 2 long (6") and 2 short (5 1/2"). Sold in a set of four pieces. 1966-70 Oldsmobile Cutlass & 442 1966-70 Oldsmobile 88, 98, and Starfire models	CUFSRI2021	47.20
	1966-1970 Radiator Insulators (Set of 4 long) - 4Pc	Radiator insulator set with 4 long (6"). Sold in a set of four	CUFSRI2020	47.20



1966-1972 Aluminum Performance Radiator

These COLD-CASE radiators are Tig welded 100% aluminum and absolutely beautiful. Don't buy a 3 or 4 row aluminum radiator! It doesn't cool as good as these oversize 2 row models. These radiators are original appearing and have the correct stamping. Once painted, you'd be hard pressed to find a difference over an original versus a COLD-CASE.-100% TIG welded-All Aluminum-Polished OE style tanks-(2) 1.25" Tubes-16 fins per inch-Corrugated fins that give more surface area and more thermal transfer-Pressure tested

CUCCGMA546A

624.38

SHIPPING NOTE: Addition oversize surcharge may apply.
Call for multiple colours, styles or patterns or choose online



1968-1970 Cutlass Radiator Core Support Cushions & Radiator Brackets (3 Core) - 4PC

Core support rubber mounts that hold the radiator on the core support used in the upper or lower brackets. These are an exact reproduction of the original they are the correct shape and size and are made of the same rubber as the original. They have the same softness as the original.

CUITINL14719

62.40



1968-1972 Aluminum Performance Radiator Billet Radiator Press Fit Cap

Top off the installation of your new Cold Case aluminum radiator with a matching Cold Case billet aluminum radiator cap. They feature a special press-fit design that only works with Cold Case radiators. Features of Cold Case billet aluminum radiator caps include: * Designed exclusively for use with Cold Case radiators* High-quality billet aluminum construction* Strong and durable* Press-fit* Etched Cold Case logo

CUCCRC100-1

36.72



1968-1972 Aluminum Performance Radiator Electric Fan Assembly - Ea

Although they strongly recommend installing a fan and shroud kit whenever possible, Cold Case electric fans are designed for those applications where a shroud will not fit. They can be mounted away from the face of the radiator, or directly against it. Cold Case electric fans are available in a choice of sizes and cubic feet per minute (CFM) ratings.

CUCCFAN16

140.24

Call for multiple colours, styles or patterns or choose online



1968-1972 Aluminum Performance Radiator Electric Fan Wiring Kit (w/Relay)

Cold Case electric fan wiring kits are complete and include all wiring, a thermostat, and a relay for quick and easy installation. These fan control kits can be used with all single fan or multiple fan applications as long as the combined current draw does not exceed 30 amps. Additional features of Cold Case electric fan wiring kits include: * Fans are temperature controlled and kick on at 190 degrees F* Single Cold Case 16 in. fans draw 6 to 8 amps* Dual 12 in. Cold Case fans draw 12 amps

CUCCEF-1

151.37



1968-1972 Aluminum Performance Radiator Heavy Duty Petcock w/Drain Valve

Cold Case radiator petcocks are heavy-duty 1/4 in. NPT petcock drain valves. Included with Cold Case aluminum radiators, they are offered as replacements for missing or damaged petcocks. They conveniently allow you to drain your coolant without taking out the valve.

CUCCDC-1

10.01



1968-1972 Aluminum Performance Radiator Kits (w/fan)

Cool just got better! Cold-Case direct-fit aluminum radiator modules bundle performance components for the most efficient cooling available. They've packaged their high-quality radiators with their direct-fit shrouds and electric fans to deliver the best fit with an original look, an easy install, and effective cooling at an

CUCCGMA546AK

993.90

affordable price. Order the universal or application-specific model best suited for fitment in your engine bay. All Cold-Case radiator modules feature: * OEM-stamped, fully polished tanks * Aluminum shroud * Electric fan(s) * Correct OEM fitment * Lightweight, efficient aluminum construction * 100 percent TIG-welded * Internally welded filler necks offer a clean, factory look * Two oversized cooling rows for increased capacity * 1 in. to 1 1/4 in. tubes for higher volume * Works with factory filler cap * Includes OEM-style petcock * 42.7 percent lighter than comparable copper radiators * 30 percent thicker materials than no-name aluminum radiators

Call for multiple colours, styles or patterns or choose online



1968-1972 Cutlass Radiator Core Support Mounting Brackets and Rubber Insert (4 Core) - 4PC

1968-72 Oldsmobile Cutlass, 442, W-30 4 Core Radiator Core Support Mounting Brackets and Rubber Inserts. These are the lower mounts for a 4 core radiator. If you are converting your car to a 4 core radiator you will need these larger mounts. If you have changed out the core support due to rust issues you will need the larger mounts to get the 4 core radiator to sit in the core support the right way. These mounts are a brand new reproduction of the originals in every detail. Also included are the rubber cushions that mount in the steel bracket.

CUITINL11050 62.40

1968-1972 Cutlass/442 Overflow Bottle Kit

This bottle was a very rare option that was dealer installed up until 1972 with which all 455 Cutlass came stock. Most of these cars had a problem with antifreeze coming out of the radiator cap. In 1972 Oldsmobile decided to add an overflow bottle in all Cutlass 455. If you had a problem with overheating they would've installed this kit in your Cutlass. This kit will fit all 1968 / 1969 / 1970 / 1971 / 1972 Cutlass with a 350 / 400 or 455 motor. Kit includes bottle, retainer with hose

CUPPZROK6872B 303.98



1968-1972 GM A Body Upper/Lower Radiator Support Cushions Set (3 Row) - 4Pc

For 3-row or 4-row radiators, Each kit comes with 4 cushions. Notes: 4-row cushions may require slight modification for some applications.

CURPULR003 38.38



1968-1972 GM A Body Upper/Lower Radiator Support Cushions Set (4 Row) - 4Pc

For 4-row radiators, Each kit comes with 4 cushions.

CURPULR004 38.38



1968-1972 GM A-Body Harrison 4 Core Radiator (Auto Trans)

The correct looking 4 row radiator for automatic transmission cars. It has the correct Harrison logo and correct hat channels & copper brass core. This is a manual transmission radiator. It is a GM licensed part. Perfect for a concours restoration of your 68-72 GTO / LeMans / Judge / Chevelle / LS5 / LS6 / El Camino / Cutlass / 442 / W30 / W31 / Skylark / GS / GSX and 70-72 Monte Carlos. This radiator is made in the USA. NOTE: Over sized packaging may result in additional shipping charges. Shipping charges will be advised before shipping.


CUPPZHRA6872 1364.99



1968-1972 GM A-Body Harrison 4 Core Radiator (Manual Trans)

The correct looking 4 row radiator for manual transmission cars. It has the correct Harrison logo and correct hat channels & copper brass core. This is a manual transmission radiator. It is a GM licensed part. Perfect for a concours restoration of your 68-72 GTO / LeMans / Judge / Chevelle / LS5 / LS6 / El Camino / Cutlass / 442 / W30 / W31 / Skylark / GS / GSX and 70-72 Monte Carlos. This radiator is made in the USA. NOTE: Over sized packaging may result in additional shipping charges. Shipping charges will be advised before shipping.

CUPPZHRM6872 1364.99








1968-1972 OVERFLOW HOSE CLIP

This is the clip that mounts on the side of the radiator, and the hose clips into it and keeps the hose up against the radiator. A finishing touch for nice final detail. Fits all 68 69 70 71 72 73 74 75 76 77 78 79 80 71 GM cars with overflow hose.

CUPPZOHC6881 17.58



	1968-1972 Radiator to Support Well Nut Set	These special nuts secure the LH portion of the radiator well area and include the correct 1/4 shouldered bolts. Includes 2 each per set.	CUICW14R	6.70
	1969-1972 Cutlass Radiator Air Deflector Hardware Set - 6PC	These are the bolts that hold the air deflector to the bottom of the core support. They have the correct built in washer and the are the correct length and size. They are also plated in black. The originals are always rusted or pitted. This set comes with 6 bolts. This is all that you need to hold the air deflector to the car.	CUITINL10812	19.20
	1969-1972 Cutlass Top Plate Mounting Bolts - 4PC	1969-72 Oldsmobile Cutlass, 442, W-30, W-31 Radiator Top Plate Mounting Bolt Set. This bolt set is used to mount the radiator top plate. These are an exact reproduction of the original in the same material and thickness as the original.	CUITINL11048	9.60
	1969-1972 Radiator Top Plate - 4-Core	We now have the correct 1969-72 4 core radiator top plate for cars with heavy duty cooling. It is designed to be used with or without a fan shroud. Fits all 4 core radiators. If you have an Oldsmobile 350 / 400 or 455 with standard cooling that you want to upgrade, this is what you are looking for. Fits all Cutlass / 442 / Hurst Olds W30 / W31 4-speed or automatic	CUPPZRT692B	191.98
	1970 W-30/W-31 Manual Radiator Tag Code EC	Factory style metal tags that GM put on all radiators. It gives you the codes that identify the kind of radiator was installed in your car	CUPPZRT70EC	47.98
	1970-1972 Radiator Cap RC-29 (Closed System)	Use on some models with the closed system.	CUPYRPE62D	54.05
	1971-1972 Cutlass Radiator Core Support Cushions & Radiator Brackets (3 Core) - 4PC	1971-72 Oldsmobile Cutlass, 442, W-30 3 Core Radiator Core Support Mounting Brackets and Rubber Inserts. These are the brackets and rubber mounts that cushion the radiator. These are an exact reproduction of the original. They are the correct shape, size, and material as the original. If you are restoring a car, these brackets and mounts are a must. the originals are often dry rotted and ripped. This set is for radiators with 3 cores in the center, driver and passenger sides with 2 3/4" tanks.	CUITINL14716	62.40
	1971-1972 Cutlass Radiator Core Support Cushions & Radiator Brackets (4 Core) - 4PC	1971-72 Oldsmobile Cutlass, 442, W-30 4 Core Radiator Core Support Mounting Brackets and Rubber Inserts. These are the brackets and rubber mounts that cushion the radiator. These are an exact reproduction of the original. They are the correct shape, size, and material as the original. If you are restoring a car, these brackets and mounts are a must. the originals are often dry rotted and ripped. This set is for radiators with 3 cores in the center, driver and passenger sides with 2 3/4" tanks.	CUITINL14717	62.40
	1971-1972 Radiator Insulators - 4Pc	Radiator insulators for 1971-72 Cutlass and 442 models, and 1971-75 88 and 98. Sold in a set of four pieces.	CUFSRI17	47.20

Early Birds specializes in hard-to-find Cutlass parts and has been serving you for over 25 years.
Call us at 1 800 463 0546 Mon - Fri 9:00 AM - 4:00 PM (EST) - we know our cars!
Fax your order: (416) 630 8794

Our Mailing Address:
Early Birds
25 Saunders Road, Unit 9
Barrie, Ontario
L4N 9A7
Canada